

according to 1907/2006/EC, Article 31

Printing date 27.04.2020 Version number 20 Revision: 27.04.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- · Trade name: ESCO-FLUAT
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture salt treatment (neutralization agent)
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: SCHOMBURG GmbH & Co. KG

Aquafinstr. 2-8 D-32760 Detmold Germany

Tel: ++49 (0)5231/953-00 Fax: ++49 (0)5231/953-123 email: info@schomburg.de web: www.schomburg.de

· Informing department:

Product Safety Department

Tel: ++49 (0)5231/953-193 Fax: ++49 (0)5231/953-106 email: SDB@schomburg.de

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms GHS05, GHS07, GHS09
- Signal word Danger

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 27.04.2020 Version number 20 Revision: 27.04.2020

Trade name: ESCO-FLUAT

(Contd. of page 1)

Hazard-determining components of labelling:

zinc hexafluorosilicate

· Hazard statements

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H314 Causes severe skin burns and eye damage. H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

· Description: aqueous hexafluorosilicate solution

Dangerous components:

CAS: 16871-71-9 zinc hexafluorosilicate 10-25%

EINECS: 240-894-1 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Skin Corr. 1A, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic

Chronic 1, H410

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information

Personal protection for the First Aider.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Instantly remove any clothing soiled by the product.

It is possible to choke in case of vomiting in unconsciousness.

Bring unconscious persons into a stable position on side.

Keep the respiratory tract free (remove dentures and vomiting).

Check the pulse. In case of heart failure you have to make a cardiac massage. In case of stoppage of breathing: artificial respiration.

Take up a doctor immediately!

- · After inhalation Supply fresh air or oxygen; call for doctor.
- · After skin contact

Change immediately contaminated clothes.

Instantly wash with water and soap and rinse thoroughly.

- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Do not induce vomiting; instantly call for medical help.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 27.04.2020 Version number 20 Revision: 27.04.2020

Trade name: ESCO-FLUAT

(Contd. of page 2)

· 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents

Product is not inflammable.

Use fire fighting measures that suit the environment.

- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

Additional information

Cool endangered containers with water spray jet.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle container with care.

- · Information about protection against explosions and fires: Protect from heat.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: Provide floor trough without outlet.
- Information about storage in one common storage facility:

Store away from foodstuffs.

Please follow the rules of the VCI-Storage-Concept for chemicals.

- · Further information about storage conditions: Protect from frost.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7 MSDS.

(Contd. on page 4)

Printing date 27.04.2020 Version number 20 Revision: 27.04.2020

Trade name: ESCO-FLUAT

(Contd. of page 3)

8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Ensure that washing facilities are available in the work place.

Breathing equipment:

Self-contained breathing apparatus must be used in case of bad fresh-air-supply or no adequate removal suction is available.

- · Protection of hands: Hand Protection: Nitril-rubber-latex-gloves.
- · Material of gloves

Nitril-rubber-latex-gloves II R: Thickness ≥ 0,5mm; Break through time ≥ 480 min

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Tightly sealed safety glasses.
- · Body protection: Acid resistant protective clothing

SECTION 9: Physical and chemical		
9.1 Information on basic physical	and chemical properties	
General Information		
Appearance:	-	
Form:	Fluid	
Colour:	Clear	
Smell:	Odourless	
pH-value at 20 °C:	<1	
Change in condition		
Melting point/freezing point:	Not determined	
Initial boiling point and boiling i	range: Not determined	
Flash point:	Not applicable	
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Steam pressure:	Not determined.	
Density at 20 °C	1.18 g/cm³	
Solubility in / Miscibility with		
Water:	Fully miscible	
Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	

(Contd. on page 5)

Printing date 27.04.2020 Version number 20 Revision: 27.04.2020

Trade name: ESCO-FLUAT

(Contd. of page 4)

9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed, in contact with skin or if inhaled.

· LD/LC50 values that are relevant for classification:

16871-71-9 zinc hexafluorosilicate

Oral LD50 100 mg/kg (Akute Toxizität) (Aligned to GHS category)

Dermal LD50 300 mg/kg (Akute Toxizität) (Aligned to GHS category)

Inhalative LC50/4 h 3 mg/l (Akute Toxizität) (Aligned to GHS category)

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

- Serious eye damage/irritation Causes serious eye damage.
- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 6)

according to 1907/2006/EC, Article 31

Printing date 27.04.2020 Version number 20 Revision: 27.04.2020

Trade name: ESCO-FLUAT

(Contd. of page 5)

- · **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

06 00 00 WASTES FROM INORGANIC CHEMICAL PROCESSES

06 03 00 wastes from the MFSU of salts and their solutions and metallic oxides

06 03 13* solid salts and solutions containing heavy metals

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

14.1 UN-Number ADR, IMDG, IATA	UN3082
14.2 UN proper shipping name ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ZINC FLUOROSILICATE)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (ZINC FLUOROSILICATE), MARII POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCI LIQUID, N.O.S. (ZINC FLUOROSILICATE)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	9 Miscellaneous dangerous substances and article
Class	9 Miscellaneous dangerous substances and article 9
Class Label 14.4 Packing group	<u> </u>
Class Label 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards:	9 III
Class Label 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: Marine pollutant:	III Symbol (fish and tree)
Class Label 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards:	9 III
Class Label 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: Marine pollutant: Special marking (ADR):	9 III Symbol (fish and tree) Symbol (fish and tree)

(Contd. on page 7)

Printing date 27.04.2020 Version number 20 Revision: 27.04.2020

Trade name: ESCO-FLUAT

	(Contd. of page
· EMS Number: · Segregation groups	F-A,S-F Heavy metals and their salts (including their organometallic compounds) A
Stowage Category	
 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code 	Not applicable.
Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 m 3
Tunnel restriction code	-
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 m
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ZINC FLUOROSILICATE), 9, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Department issuing data specification sheet: Environment protection department.

(Contd. on page 8)

Printing date 27.04.2020 Version number 20 Revision: 27.04.2020

Trade name: ESCO-FLUAT

(Contd. of page 7)

· Contact: Mr. Guido Herfort

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity - oral – Category 3 Acute Tox. 4: Acute toxicity - oral – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

* Data compared to the previous version altered.

GE