Produktdeklaration - DGNB Neubauversion Büro- und Verwaltungsgebäude (NBV15)

MANUFACTURER SCHOMBURG GmbH & Co. KG

PRODUCT NAME SANIFLEX

Product Rating DGNB Criteria

- The product meets the requirements of quality level 1 to 4 and contributes to achieve 100 (of max. 100 achievable) checklist points according to criterion 'ENV1.2 Local Environmental Impact'.
- The product has an industry-wide Environmental Product Declaration (EPD), which can be used for the life cycle assessment according to criteria 'ENV 1.1' and 'ENV2.1'.

Criterion ENV 1.2 Risks for the Local Environment - Ecological Quality

Quality Level 1 10 Checklist Points

Quality Level 2 50 Checklist Points

V

Quality Level 3 75 Checklist Points

 \checkmark

Quality Level 4 100 Checklist Point

√

Criterion ENV 1.3.1 Sustainable Resources - Ecological Quality*

Quality Level 1 10 Checklist Points



Quality Level 2 50 Checklist Points



Quality Level 3 100 Checklist Points



Product Characteristics

Ready-to-use, solvent-free, waterproofing material that once cured is elastic, watertight, but vapour permeable, and can be tiled directly with polymer-modified adhesives. Seamless, jointless waterproofing beneath tiles in damp areas where water impermeability is required e.g. in residential bathrooms, private and commercial washrooms. SANIFLEX is suitable for wall areas in wet duty class A according to building regulations test criteria and wet duty class A0 according to the ZDB data sheet "Bonded waterproof systems". Very low emissions - GEV EMICODE EC1 PLUS.

- Credit requirements fulfilled the action level is achieved
- O Credit is not applicable to this product
- 22% X% of the product comply with the credit requirement
- Required data not specified for required data contact manufacturer
- X Credit requirements are not fulfilled

About DGNB Products - www.dgnb.de

This declaration helps to assess products easily according the certification system DGNB® Neubauversion Büro- und Verwaltungsgebäude (NBV15). Products are not reviewed or certified by DGNB. DGNB credit requirements cover the performance of materials in aggregate, not the performance of individual products or brands. Therefore the project team or the manufacturer is responsible to declare the compliance with the project requirements to achieve DGNB points.

Above you find an explanation of the symbols. Detailed information are on the next pages.

Notice: This declaration is a product of HOINKA GmbH. This data sheet is published in the online database greenbuildingproducts.eu. The data sheet is only valid as DGNB evidence in conjunction with the manufacturer's declarations and product certificates that prove the information given in this declaration. This declaration is no official certificate in terms of DCNB. The contents are based on manufacturer specifications. In spite of a diligent treatment of all information HOINKA GmbH cannot guarantee the actuality or correctness of the published data. The interpretation of the DGNB criteria requirements can differ and depend on the project and the scope of application. In spite of a diligent treatment of all information HOINKA GmbH cannot guarantee the correctness of evaluation in terms of the DGNB requirements. The user of this declaration, the consumer of the product and the consultant/planner, who is advising this product in any construction projects, is responsible by himself to proof all data published in this document and to verify the permissibility for the designated application. The content of this data sheet does not manifest any legal relationship. With the publication of a new edition, this declaration can no longer be considered to be valid. The latest version is available in the intermet. HOINKA GmbH • greenbuildingproducts.eu • Lembergweg 7/1 • 71067 Sindelfinger • Tel. +49 7031 7659-441 • Fax +49 7031 7659-443 • www.greenbuildingproducts.eu • Ceschäftsführer: Dipl.-Ing. Thomas Hoinka

^{*} This criterion is only applicable to wooden materials.

Produktdeklaration - DGNB Neubauversion Büro- und Verwaltungsgebäude (NBV15)

SCHOMBURG GmbH & Co. KG **MANUFACTURER**

SANIFLEX **PRODUCT NAME**

Topic	Number	Criteria	Relevance	Evaluation
	ENV1.1	Life cycle Assessment - Emissions	✓	An industry-wide Environmental Product Declaration (EPD) does exist for this product.
	ENV1.2	Local environmental impact	✓	Quality Level 4 is fulfilled
	ENV1.3.1	Responsible procurement (Wood)		
Environmental Quality (ENV)	ENV1.3.3	Responsible procurement (Natural Stone)		
	ENV2.1	Life cycle Assessment - Primary Energy	✓	An industry-wide Environmental Product Declaration (EPD) does exist for this product.
	ENV2.2	Potable water demand and wastewater volume		
	ENV2.3	Land Use		
	ECO1.1	Building-related life-cycle costs		
Economic Quality (ECO)	ECO2.1	Suitability for conversion		
	ECO2.2	Marketability		
	SOC1.1	Thermal Comfort		
	SOC1.2	Indoor Air Quality		
	SOC1.3	Acoustic Comfort		
	SOC1.4	Visual Comfort		
	SOC1.5	Occupant control		
	SOC1.6	Quality of stay outdoor / indoor		
	SOC1.7	Safety		
Sociocultural and Functional Quality (SOC)	SOC2.1	Access for all		
	SOC2.2	Public access		
	TEC1.2	Noise protection		
	TEC1.3	Building envelope quality		
	TEC1.4	Adaptability of Technical Systems		
	TEC1.5	Ease of cleaning and maintenance		
	TEC1.6	Ease of dismantling and recycling		
	TEC3.1	mobility infrastructure		
	PRO1.1	Project preparation and planning		
	PRO1.3	Conceptual design and optimization in the planning		
	PRO1.4	Sustainability aspects in tender phase		
	PRO1.5	Documentation for Facility Management		
Process Quality (PRO)	PRO1.6	Design and urban quality		
	PRO2.1	Environmental impact of construction		
	PRO2.2	Construction quality assurance		
	PRO2.3	Systematic commissioning		
	SITE1.1	Site location risks		
	SITE1.2	Public image and social conditions		
Site Quality (SITE)	SITE1.3	Access to transportation		
	SITE1.4	Access to specific-use facilities		

Produktdeklaration - DGNB Neubauversion Büro- und Verwaltungsgebäude (NBV15)

MANUFACTURER SCHOMBURG GmbH & Co. KG

PRODUCT NAME SANIFLEX

Product assessment for criteria ENV1.2 - Local environmental impact

The product fulfills the requirements for Quality Level 1-4

Assessment: Quality Level 4

Goals and Relevance

Certain materials, construction products and preparations are a risk for soil, air, groundwater and surface water as well as for human's health, flora and fauna. In order to minimize risks for humans and the local environment, materials, (construction) products and preparations need to be reduced ,avoided or substituted, which due to their material properties or ingredients are a risk for surface and ground water, soil or air. Especially those materials, (construction) products and preparations must be reduced ,avoided or replaced, which affect human health, flora and fauna or harm within a short-, medium / or long-term period . This affects the entire life cycle - from production, processing at site, use of (building) inventory and disposal (dismantling, recycling, landfilling). These local risks are assessed material and product related. Hence eco-and human toxicological impact categories of LCA can not be applied due to lack of evaluation and measurement procedures.

Product Assessment

	Relevant Products	Requirements of Quality Levels		Assessment of Product	Evaluation	
2	Coatings on mainly mineral surfaces in the interior such as trowels (also Dispersion filler) as well as wallpapers, fleeces,	Quality Level 1	Water-soluble products according to current VOC-Guideline			
	Plasterboards etc Floor surfaces with special resistance requirements (like OS systems), underground parking and driveways are not considered (incl.	Quality Level 2	VOC-Content < 30 g/l	The product is solvent-free and	Quality Level 4	
	Q-trowel) Subject: decorative paints, decorative fillers (incl. Q spatula)	Quality Level 3	free of solvents and flexibiliser according to VdL RL01 or RAL-UZ 102 (SVOC)	softenerfree according to VdL-RL01.	quality 200014	
		Quality Level 4	free of solvents and flexibiliser according to VdL RL01 or RAL-UZ 102 (SVOC)			

Relevant Products		Requirements of Quality Levels		Assessment of Product	Evaluation
3	Coatings on mainly mineral substrates in the interior such as Concrete, masonry, mortar and trowel (also dispersion filler), plasters as well as wallpapers,	Quality Level 1	Water-soluble products according to current Decopaint Guideline.		
fiber, plasterboard etc Not considered are soil surfaces with special stability requirements (such as OS systems) and transport routes such as Quality Level 2 VOC-Content < 30 g/l					
	underground garages, driveways, etc.	Quality Level 3	free of solvents and flexibiliser according to VdL RL01 or RAL-UZ 102	The product is solvent-free and softenerfree according to VdL-RL01.	Quality Level 4
		Quality Level 4	free of solvents and flexibiliser according to VdL RL01 or RAL-UZ 102		

Produktdeklaration - DGNB Neubauversion Büro- und Verwaltungsgebäude (NBV15)

MANUFACTURER SCHOMBURG GmbH & Co. KG

PRODUCT NAME SANIFLEX

	Relevant Products	Requirements of Quality Levels		Assessment of Product	Evaluation
9	Barrier coatings, floor resins, sealings under tiles	Quality Level 1	GISCODE D1, RE0, RE 1, RU 0,5 orr RU 1		
		Quality Level 2	GISCODE D1, RE0, RE 1, RU 0,5 orr RU 1	The sealing material meets the requirements for EMICODE EC1	Quality Level 4
		Quality Level 3	GISCODE D1, RE0, RE1, RU 0,5, RU 1 or EMICODE EC1	PLUS.	
		Quality Level 4	EMICODE EC1, EC1 PLUS , EC1- R or EC1 PLUS -R		

Other remarks on classification

The product belongs to the group GISCODE D1.

Produktdeklaration - DGNB Neubauversion Büro- und Verwaltungsgebäude (NBV15)

MANUFACTURER	SCHOMBURG GmbH & Co. KG
DDODUOT NAME	SANIFI FX

The product contains the following components:	Mass pe unit [%]
K1 SANIFLEX	100%