greenbuildingproducts.eu

Product Declaration - LEED® v4 Building Design and Major Renovations

MANUFACTURER SCHOMBURG GmbH & Co. KG

PRODUCT NAME SOLOFLEX-FAST

PRODUCT

CHARACTERISTICS

As a rapid hardening, slump resistant thin and medium bed adhesive, SOLOFLEX-FAST is the preferred choice for work under time onstraints for the installation of vitrified and earthenware tiles, ceramic tiles with low water absorption ≤ 0.5% (fully vitrified), clinker, mosaics, cementitious tiles, cement-based slabs and natural stone that is not translucent nor sensitive to discolouration. Despite its rapid setting nature, SOLOFLEX with FAST technology possesses a long pot life and

open time. Conforms to DIN EN 12004. Very low emissions - GEV EMICODE EC1-R PLUS.



SCHOMBURG GmbH & Co. KG Aquafinstraße 2 32760 Detmold Deutschland

	Product Rating			
LEED Category	LEED Credit	max. influenced score	Degree of ful	fillment %
Reductions / Option 4. The product contributes to	PD which can be used for the calculation of the Life-Cycle Assessment of th ward satisfying MR Credit 2 "BPDO - Environmental Product Declarations" u ward satisfying EQ Credit 2 "Low Emitting Materials" under LEED.		Building Life-Cycle	Impact
Materials & Ressources	Credit 1: Building Life-Cycle Impact Reductions (Option 4: LCA)	1-3 Points	100%	100%
	Credit 2: BPDO - Environmental Product Declarations	1-2 Points		
	Option 1: Environmental Product Declaration	1 Point	50%	50%
	Option 2: Multi-Attribute Optimization	1 Point	0%	0%
	Credit 3: BPDO - Sourcing of Raw Materials	1-2 Points		
	Option 1: Raw Material Source and Extraction Reporting	1 Point	0%	0%
	Option 2: Leadership Extraction Practices	1 Point	0%	0%
	Credit 4: BPDO - Material Ingredients	1-2 Points		
	Option 1: Material Ingredient Reporting	1 Point	0%	0%
	Option 2: Material Ingredient Optimization	1 Point	0%	0%
	Option 3: Product Manufacturer Supply Chain Optimization	1 Point	0%	0%
ndoor Environmental Quality	Credit 2: Low Emitting Materials	1-3 Points	100%	1009


About LEED & Products - www.usgbc.org

This declaration helps to assess products easily according to the certification system LEED® v4 Building Design and Major Renovations (excluded HEALTHCARE and SCHOOLS). Products are not reviewed or certified by LEED. LEED credit requirements cover the performance of materials in aggregate, not the performance of individual products or brands. For more information about LEED visit www.usgbc.org/leed. The project team or the manufacturer is responsible to declare the compliance with the project requirements to achieve LEED points. Below you find an explanation of the symbols. Detailed information are on the next pages.






satisfying the credit









MR Credit 1: Building Life-Cycle Impact Reductions (Option 4: LCA)

Intent

To encourage adaptive reuse and optimize the environmental performance of products and materials.

Requirement

Environmental Product Declaration (EPD) can be used in Credit "MR 1: Building Life-Cycle Impact Reductions" in Option 4 "Whole-Building Life-Cycle Assessment" for the calculation of the Life-Cycle Assessment of the building. If no EPD exitst, generic datasets will be used.

	General	Information		Option 4:	Com
No.	Product name	Manufacturer	Mass [%]	Whole-Building Life-Cycle Assessment	pliance
	SOLOFLEX-FAST	SCHOMBURG GmbH & Co. KG	100%	For the product exists an EPD.	√
A1	SOLOFLEX-FAST	SCHOMBURG GmbH & Co. KG	100%	For the product exists an EPD.	✓

MR Credit 2: BPDO - Environmental Product Declarations

Intent

To encourage the use of products and materials for which life-cycle information is available and that have environmentally, economically, and socially preferable life-cycle impacts. To reward project teams for selecting products from manufacturers who have verified improved environmental life-cycle impacts.

Requirement

Achieve one or more of the options below, for a maximum of 2 points.

Option 1: Environmental Product Declaration (1 Point)

Use at least 20 different permanently installed products sourced from at least five different manufacturers, for which an Environmental Product Declaration exist.

Proof - weighted value [%]:

- Product-specific declaration 25 %
- Industry-wide (generic) EPD 50 %
- Product-specific Type III EPD 100 %

Option 2: Multi-Attribute Optimization (1 Point)

50 % of all materials (based on the material costs of the project) must be less than the industry average in terms of environmental emissions. Third party certified products that demonstrate impact reduction below industry average in at least three of the following categories are valued at 100 % of their cost for credit achievement calculations.

- global warming potential (greenhouse gases), in CO2e;
- depletion of the stratospheric ozone layer, in kg CFC-11;
- acidification of land and water sources, in moles H+ or kg SO2;
- eutrophication, in kg nitrogen or kg phosphate;
- formation of tropospheric ozone, in kg NOx or kg ethene;
- and depletion of nonrenewable energy resources, in MJ.

Regional products (within 160 km = 100 Milen) are double-weighted.

	General Information			Option 1: Environmental Product Declaration		Option 2: Multi-Attribute Optimization		
No.	Product name	Manufacturer Mass [%]		EPD Program Operator	EPD Type - Weighted Value [%]	Third Party Certification Program**	Location*	
	SOLOFLEX-FAST	SCHOMBURG GmbH & Co. KG	100%	Institut Bauen und Umwelt e.V. (IBU)	Industry-wide (generic) EPD - 50%	not specified ***	see location	
A1	SOLOFLEX-FAST	SCHOMBURG GmbH & Co. KG	100%	Institut Bauen und Umwelt e.V. (IBU)	Industry-wide (generic) EPD - 50%	not specified ***	see location	

^{*} see explanation "Location Valuation Factor" on page 10

^{**} Demonstrate impact reduction below industry average

^{***} Evidence is verified by: not specified

MR Credit 3: BPDO - Sourcing of Raw Materials 1/2

Intent

To encourage the use of products and materials for which life cycle information is available and that have environmentally, economically, and socially preferable life cycle impacts. To reward project teams for selecting products verified to have been extracted or sourced in a responsible manner.

Requirement

Achieve one or more of the options below, for a maximum of 2 points.

Option 1: Raw Material Source and Extraction Reporting (1 Point)

Use at least 20 different permanently installed products sourced from at least five different manufacturers, who published a sustainability report of their suppliers.

- Manufacturer declared corporate sustainability report 50 %
- Third-party verified corporate sustainability report (CSR) according to Global Reporting Initiative (GRI) Sustainability Report, Organisation for Economic Cooperation and Develoment (OECD) Guidelines for Multinational Enterprises, U.N. Global Compact: Communication of Progress or ISO 26000: 2010 Guidance on Social Responsibility 100 % Option 2: Leadership Extraction Practices (1 Point)

25 % of all materials (based on the material costs of the project) must have at least an extended producer responsibility (closed loop or tage back programm) or are made from SAN certified bio-based materials, FSC certified wood, recycling materials (post-consumer recycled content plus one-half of the pre-consumer content), salvaged or reused materials.

	ileu Kaliliy											
	General	Information		Option 1: Raw Material Source and Extraction Reporting								
No.	Product name	Manufacturer	Mass [%]	Corporate Sustainability Report Type - Weighted Value [%]								
	SOLOFLEX-FAST SCHOMBURG GmbH & Co. KG			not specified								
	percentage influential degree (weighted contribution)			0%								
A1	SOLOFLEX-FAST	SCHOMBURG GmbH & Co. KG	100%	not specified								

MR Credit 3: BPDO - Sourcing of Raw Materials 2/2

_	_										
		General Information			Option 2: Leadership Extraction Practices						
N	lo.	Product name	Manufacturer	Mass [%]	Extended Producer Responsibility - Content [%]	SAN [%]**	FSC [%]***	Salvaged material [%]	Post- Consumer [%]	Pre- Consumer [%]	Location*
		SOLOFLEX-FAST	SCHOMBURG GmbH & Co. KG	100%	not specified	0%	0%	0%	0%	0%	see location
		percentage influential (contribution)	degree (weighted					0%			
A	A 1	SOLOFLEX-FAST	SCHOMBURG GmbH & Co. KG	100%	not specified	0%	0%	0%	0%	0%	see location

^{*} see explanation "Location Valuation Factor" on page 10

^{**} SAN certified Content [%]

^{***} FSC certified Content [%]

^{****} Content of reused and salvaged materials [%]

greenbuildingproducts.eu

Product Declaration - LEED® v4 Building Design and Major Renovations

MR Credit 4: BPDO - Material Ingredients

Intent

To encourage the use of products and materials for which life-cycle information is available and that have environmentally, economically, and socially preferable life-cycle impacts. To reward project teams for selecting products for which the chemical ingredients in the product are inventoried using an accepted methodology and for selecting products verified to minimize the use and generation of harmful substances. To reward raw material manufacturers who produce products verified to have improved life-cycle impacts.

Requirement

Achieve one or more of the options below, for a maximum of 2 points.

Option 1: Material Ingredient Reporting (1 Point)

Use at least 20 different permanently installed products sourced from at least five different manufacturers, which published reports or data sheets with all ingredients.

Proofs (Weighted Value 100 %):

- Manufacturer Inventory
- Health Product Declaration (HPD)
- Cradle to Cradle (Cradle to Cradle v2 Basic or Cradle to Cradle v3 Bronze)

Option 2: Material Ingredient Optimization (1 Point)

25 % of all materials (based on the material costs of the project) must be certified by Green Screen, Cradle to Cradle or REACH.

- GreenScreen v1.2 List Translator 100 %
- GreenScreen v1.2 Assessment 150 %
- Cradle to Cradle v2 Gold 100 %
- Cradle to Cradle v2 Platinum 150 %
- Cradle to Cradle v3 Silver 100 %
- Cradle to Cradle v3 Gold or Platinum 150 %
- REACH 100 %

Option 3: Product Manufacturer Supply Chain Optimization (1 Point)

25 % of all materials (based on the material costs of the project) are sourced from product manufacturers who engage in validated and robust safety, health, hazard, and risk programs and are sourced from product manufacturers with independent third party verification of their supply chain (e.g. ISO 14001 & OHSAS 18000).

No.	General	Information		•	Option 2: Material Ingredient Optimization	Option 3:	Location*
NO.	Product name	Manufacturer	Mass [%]	Type of Reporting	Certification Program Weighted Value [%]	Product Manufacturer Supply Chain Optimization	Location
	SOLOFLEX-FAST	SOLOFLEX-FAST SCHOMBURG GmbH & Co. KG		not specified	not specified	not specified	see location
A1	SOLOFLEX-FAST	SCHOMBURG GmbH & Co. KG	100%	not specified	not specified	not specified	see location

^{*} see explanation "Location Valuation Factor" on page 10

EQ Credit 2: Low Emitting Materials 1/4

Intent

To reduce concentrations of chemical contaminants that can damage air quality, human health, productivity, and the environment.

Requirement

This credit includes requirements for product manufacturing as well as project teams. It covers volatile organic compound (VOC) emissions into indoor air and the VOC content of materials, as well as the testing methods by which indoor VOC emissions are determined. Different materials must meet different requirements to be considered compliant for this credit

Category	Requirement
Interior points and postings and lad as also	General Emissions Evaluation for paints and coatings applied to walls, floors, and ceilings
Interior paints and coatings applied on site	VOC content requirements for wet applied products
Interior adhesives and sealants applied on site including flooring	General Emissions Evaluation
adhesive	VOC content requirements for wet applied products
Flooring	General Emissions Evaluation
	Composite Wood Evaluation
Composite wood	Proof: ultra-low-emitting formaldehyde (ULEF), no added formaldehyde resins (NAUF) or salvaged and
	reused wood
Ceilings, walls, thermal, and acoustic insulation	General Emissions Evaluation
From the second in a should be a second time of	Furniture Evaluation
Furniture (include in calculations if	Proof: ANSI/BIFMA e3-2011 §7.6.1, ANSI/BIFMA e3-2011 §7.6.2, CDPH Standard Method v1.1-2010 or
part of scope of work)	salvaged or reused furniture

		Information		Option 1: Product Category Calculations	·			
No.	Product name	ame Manufacturer Mass [%]		Category	Assembly Type	Emissions Criteria	Nonemitting	
	SOLOFLEX-FAST	SCHOMBURG GmbH & Co. KG	100%		see below			
A1	SOLOFLEX-FAST	SCHOMBURG GmbH & Co. KG	100%	Interior adhesives and sealants	Flooring, Walls	General Emissions Evaluation and VOC Content	No	



EQ Credit 2: Low Emitting Materials 2/4

Detailed Rating

	General Information		General Emissions Evaluation		VOC Content				Co	
No	Product name	Manufacturer	Mass [%]	Criteria Met	TVOC Range after 14 days	Regulation	Product Type	VOC [g/l] Allowable	VOC [g/l] Actual	Compliance
	SOLOFLEX-FAST	SCHOMBURG GmbH & Co. KG	100%			see be	low			✓
A1	SOLOFLEX-FAST	SCHOMBURG GmbH & Co. KG	100%	AgBB Testing and Evaluation Scheme (2010) *	0.5 mg/m3 or less	SCAQMD Rule 1168	Ceramic tile adhesives	65 g/l	0 g/l	√

Other remarks on classification

EQ Credit 2: Low Emitting Materials 3/4

Deta	iled Rating	rating										
	General Information			Composite Wood	Comp							
No.	Product name	Manufacturer	Mass [%]	Criteria Met	Compliance							
	SOLOFLEX-FAST	SCHOMBURG GmbH & Co. KG	100%	see below	0							
A1	SOLOFLEX-FAST	SCHOMBURG GmbH & Co. KG	100%	N/A	0							

^{*}The product is certified by the EMICODE. The content of formaldehyde is < 10 μ g/m³ at 28 days. The content of solvent is 0% (0g/l).

EQ Credit 2: Low Emitting Materials 4/4

	General Information			Furniture	Com
No	Product name	Manufacturer	Mass [%]	Criteria Met	pliance
	SOLOFLEX-FAST	SCHOMBURG GmbH & Co. KG	100%	see below	0
A1	SOLOFLEX-FAST	SCHOMBURG GmbH & Co. KG	100%	N/A	0



Location Valuation Factor

Information

Several credits in the MR section include a location valuation factor, which adds value to locally produced products and materials. The intent is to incentivize the purchase of products that support the local economy. Products and materials that are extracted, manufactured, and purchased within 100 miles (160 kilometers) of the project are valued at 200 % of their cost. For a product to qualify for the location valuation factor, it must meet two conditions: all extraction, manufacture, and purchase (including distribution) of the product and its materials must occur within that radius, and the product (or portion of an assembled product) must meet at least one of the sustainable criteria (e.g. FSC certification, recycled content) specified in the credit. Products and materials that do not meet the location criteria but do meet at least one of the sustainability criteria are valued 100 % of their cost (i.e. the valuation factor is 1).

The distance must be measured as the crow flies, not by actual travel distance. The point of purchase is considered the location of the purchase transaction. For online or other transactions that do not occur in person, the point of purchase is considered the location of product distribution.

	General	Information		Location				
No.	Product name	Manufacturer	Mass [%]	Extraction	Manufacture	Purchase (including distribution)		
	SOLOFLEX-FAST	SCHOMBURG GmbH & Co. KG	100%	Ι	Oouble weighting depends on building s	ite		
A1	SOLOFLEX-FAST	SCHOMBURG GmbH & Co. KG	100%	not specified	D-32760 Detmold / D-06116 Halle	not specified		



Notice:

This declaration is a product of HOINKA GmbH. This data sheet is published in the online database greenbuildingproducts.eu. The data sheet is only valid as LEED evidence in conjunction with the manufacturer's declarations and product certificates that prove the information given in this declaration. This declaration is no official certificate in terms of LEED. The contents are based on manufacturer specifications. In spite of a diligent treatment of all information HOINKA GmbH cannot guarantee the actuality or correctness of the published data. The interpretation of the LEED criteria requirements can differ and depend on the project and the scope of application. In spite of a diligent treatment of all information HOINKA GmbH cannot guarantee the correctness of evaluation in terms of the LEED requirements. The user of this declaration, the consumer of the product and the consultant/planner, who is advising this product in any construction projects, is responsible by himself to proof all data published in this document and to verify the permissibility for the designated application. The content of this data sheet does not manifest any legal relationship. With the publication of a new edition, this declaration can no longer be considered to be valid. The latest version is available in the internet.

Contact:

HOINKA GmbH - greenbuildingprodcuts.eu Nobelstraße 15 D-70569 Stuttgart

Tel. +49 711 62049-340 Fax +49 711 62049-349

www.greenbuildingproducts.eu contact@greenbuildingproducts.eu

Imprint:

HOINKA GmbH - greenbuildingprodcuts.eu Lembergweg 7/1 D-71067 Sindelfingen

CEO: Dipl.-Ing. Thomas Hoinka